


Maximart®

CE



METAL-ROD CUT-OFF AND GRINDING MACHINE



Consistent Cutting Accuracy


Workpiece cut-off precision is not affected by the abrasion wear from cut-off wheel.



**MACHINE SHOWN WITH
"CE" CONFORMITY OPTION**


Model _____
Power supply _____
MFG. date _____
Serial No. _____
Maximart TAIWAN
MAXIMART CORPORATION
TEL: 886-2-25314161 FAX: 886-2-25634936
E-MAIL: maximart.tw@gmail.com

A PRECISION TOOL FOR MOLD MAKING INDUSTRY




Quick Positioning Scale

The quick positioning scale is graduated with an increment of 20 mm, and is equipped with a micrometer (0~25 mm) for easier and precise measuring.



Taper Rods Transmission

Operation is driven by the taper rods at both sides, featuring high stability, low wear and long service life.




A Combination of Cut-Off And End Face Grinding

This machine combines cut-off and end face grinding functions in one that provides increased efficiency and optimum cost-to-performance ratio.



Automatic Belt Tension Kick-back device

The belt tension is adjusted automatically from cutting force. The larger the spring drag, the tighter the belt.



Quick Clamp

A quick clamp is applied to hold the workpiece, providing fast opening and closing. Clamping range is $\varnothing 1 \sim \varnothing 25$ mm.




Convenient Dressing Wheel Adjustment

When grinding wheel is working, it is allowed to micrometrically adjust the dressing wheel for precise surface grinding.



Cut-Off Position



Grinding Position

Specifications

ITEM / MODEL	CG-300	CG-500	CG-600
Max. Workpiece Length	300mm	500mm	600mm
Max. Workpiece Diameter	Ø 25mm		
Cut-Off Accuracy	Ø 25mm X 300mm ± 0.01mm		
Cut-Off Wheel	Ø 180mm x 1mm (t) x Ø 31.75mm		
Grinding Wheel	DA/PA 46 100mm x 50mm x 20mm		
Grinding Speed	3,600 R.P.M.		
Motor	1 HP		
Machine Weight (Approx.)	89 kgs	92 kgs	95 kgs
Machine Dimensions	(L)430mm x (W) 360mm x (H) 500mm		

- Above specifications are subject to change without prior notice.



MAXIMART CORPORATION

TEL: 886 - 2 - 2531-4161 FAX: 886 - 2 - 2563-4936

E-mail: info@maximartcorp.com

www.maximartcorp.com

